

*DoloMeeting Arrhythmias 2020*

*BOLZANO, FEBRUARY 20th 2020*

**Role of pacing in patients affected by**  
**syncopal loss of**  
**consciousness**

***Discussant : F.Rabajoli***


*Syncope Unit / Arrhythmologic Service*

*Departement of Cardiology, Moncalieri -TO*



## Pacing for reflex syncope: decision pathway

**Counteract hypotensive susceptibility**






ELSEVIER

Contents lists available at ScienceDirect

IJC Heart & Vasculature

journal homepage: <http://www.journals.elsevier.com/ijc-heart-and-vasculature>



## The use of a single chamber leadless pacemaker for the treatment of cardioinhibitory vasovagal syncope



Paul R. Roberts<sup>a,\*</sup>, Christopher Pepper<sup>b</sup>, Christopher A. Rinaldi<sup>c</sup>, Matthew G.D. Bates<sup>d</sup>, Andrew Thornley<sup>d</sup>, Riyaz Somani<sup>e</sup>, Khalid Abozguia<sup>f</sup>, Stuart Harris<sup>g</sup>, Archana Rao<sup>h</sup>, Michala Pedersen<sup>i</sup>, Janet M. McComb<sup>j</sup>, Ewen Shepherd<sup>j</sup>, Philip Moore<sup>k</sup>, Oliver R. Segal<sup>l</sup>, Richard J. Schilling<sup>l</sup>, Amir Zaidi<sup>m</sup>

**32 pts ,      mean age: 37 (18-65)    2/3 < 40 ys**  
**8 pts < 25ys**

- **Is it ethical?**
- **Do we have any evidence of benefit?**
- **Is the leadless pacemaker the answer to our problems?**

